

SAFETY DATA SHEET

DATE ISSUED: 02/06/2024

REVISION NO.: 1



1. PRODUCT IDENTIFICATION:

Product Name: **RAMWAX: RUN-IN RELEASE**

Product Description: Mould Release Wax

2. COMPOSITION:

This product is a Chemical Preparation

Hazardous Components	CAS No.	Table No.*	R No.	Conc. Range %
Heavy Aliphatic Petroleum Solvent	64742 - 96 - 7	Not listed	10	29 - 31
Heavy Aromatic Petroleum Solvent	64742 - 94 - 5	Not listed	10	13 - 15
Medium Aliphatic Petroleum Solvent	64742 - 88 - 7	Not listed	10-22-38	37 - 39

* Occupational Health and Safety Act Annexure 1 OEL and BEI Tables.

3. HAZARDS IDENTIFICATION:

Main Hazard: Harmful by ingestion.

Health Effects:

- **Eyes:** May irritate eyes on contact.
- **Skin:** Prolonged, repeated contact may result in irritation.
- **Ingestion:** Can cause dizziness, nausea, vomiting.
- **Inhalation:** Prolonged, deliberate inhalation may cause respiratory irritation, dizziness.

4. FIRST AID MEASURES:

Product:

- **in eye:** Flush thoroughly with water. Get medical attention if irritation persists.
- **on skin:** Wash with soap and water.
- **ingested:** **DO NOT INDUCE VOMITING:** Give water to drink. Get medical attention promptly
- **inhaled:** Remove to fresh air.
If respiratory irritation & dizziness occurs get medical attention immediately.

NOTE: This MSDS is compiled in accordance with General Administrative Regulation 7/Annexure 1 of Occupational Health and Safety Act 85 of 1993 and SABS Specification ISO 11014-1994: Safety Data Sheet for chemical products. It also complies with requirements of Section 21 of Mine Health and Safety Act 26 of 1996.

MATERIAL SAFETY DATA SHEET

DATE ISSUED: 02/06/2024
REVISION NO.: 1

PRODUCT: RAMWAX: RUN-IN RELEASE

RAMWAX®

5. FIREFIGHTING MEASURES:

- **Extinguishing Media:** Carbon dioxide, foam, dry powder (chemical) and waterfog.
- **Specific Hazards:** Flammable and will support combustion
- **Protective Clothing:** Use normal firefighting equipment.
Use self-contained breathing apparatus in confined areas.

6. ACCIDENTAL RELEASE MEASURES:

- **Personal Precautions:** In case of large spills, wear suitable protective clothing.
Ensure adequate ventilation.
- **Environmental Precautions:** Prevent spills from entering storm water sewers or drains.
Failure to contain a release must be reported to relevant local authority.
- **Small & Large Spills:** Shovel up and dispose of at appropriate waste disposal facility.

Dispose of in accordance with local municipal / waste authority regulations

7. HANDLING AND STORAGE:

- **Handling Precautions:** No special precautions. Normal handling care.
- **Storage Precautions:** Store in cool area. Keep containers closed.
- **Suitable Packaging Materials:** Metal tins.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

- **Engineering Control Measures:** Ensure adequate ventilation
- **Occupational Exposure Limits:** **Petroleum Distillates:** 100 p.p.m. or 525 mg/m³.
Long-term exposure limit.
- **Personal Protection**
 - Respiratory: None required for normal use.
 - Hands: None required for normal use.
 - Eyes: None required for normal use.
 - Skin/Body: None required for normal use.
- **Other Protection:** None required for normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES:

- **Appearance:** Soft, dark paste
- **Odour:** Mild solvent odour
- **Solubility:**
 - Water: Not soluble or dispersible
 - Density: ±0,79 g/cm³
 - Solvent: Soluble
 - Melting Point: >35°C
- **Flammability:** Flammable
 - Flash Point: >35°C
 - Boiling Point: >140°C
- **Decomposition Temp:** >140°C
- **Autoignition Temp:** >140°C
- **Explosive Properties:** Vapour accumulation could flash and / or explode if ignited

- **Oxidising Properties:** None

MATERIAL SAFETY DATA SHEET

DATE ISSUED:02/06/2024
REVISION NO.: 1

PRODUCT: RAMWAX: RUN-IN RELEASE

RAMWAX®

10. STABILITY AND REACTIVITY:

- **Stability:** Stable
- **Conditions to Avoid:** Heat.
- **Materials to Avoid:** Strong oxidisers
- **Hazardous Decomposition Products:** Carbon monoxide

11. TOXICOLOGICAL INFORMATION:

- **Acute Toxicity:** Harmful if swallowed
- **Local Effects:**
 - **Eyes:** May cause irritation on contact.
 - **Skin:** Prolonged, repeated contact may result in irritation.
 - **Ingestion:** Can cause dizziness, nausea and vomiting.
 - **Inhalation:** May cause respiratory irritation, dizziness.

12. ECOLOGICAL INFORMATION:

- **Biodegradability:** Biodegradable
- **Bioaccumulation:** Unlikely to accumulate in the aquatic environment
- **Ecotoxicity:** Discharge of large quantities in surface waters may kill fish and other aquatic organisms

13. DISPOSAL CONSIDERATIONS:

- **Waste Disposal:** Use approved waste disposal facility. Do not wash down drains.
- **Packaging Disposal:** Empty containers should be recycled only through an approved facility.

Dispose of in accordance with local waste authority/municipal regulations.

14. TRANSPORT INFORMATION:

- **U.N. No. / Substance Identity No.:** 1325
- **Class:** 4.1
- **Packaging Group (Degree of Danger):** II

15. REGULATORY INFORMATION:

- **EEC Hazard Classification:** Harmful by ingestion.
- **Hazard Symbols:** None required
- **Hazardous Components:** Petroleum distillate

- **Risk Phrases:** R22. Harmful if swallowed
- **Safety Phrases:** S62. If swallowed, do not induce vomiting:
seek medical advice immediately.

Page 3 of 4

MATERIAL SAFETY DATA SHEET

DATE ISSUED: 02/06/2024
REVISION NO.: 1

PRODUCT: RAMWAX: RUN-IN RELEASE

RAMWAX®

16. OTHER INFORMATION:

None

This MSDS is accurate to the best of Ramwax (Pty) Ltd knowledge and is based on information which it considers to be reliable. It is furnished without warranty with respect to the accuracy or completeness of the data, either expressed or implied.

Page 4 of 4